

CORRECTION

Open Access



Correction to: Prevalence of anal symptoms in general practice: a prospective study

Géraldine Tournu^{1*}, Laurent Abramowitz², Camille Couffignal^{3,4,5}, Frédéric Juguet⁶, Agnès Sénéjoux⁷, Stéphane Berger⁸, Anne-Laure Wiart⁹, Marc Bernard¹⁰, Françoise Provost¹¹, Hélène Pillant-Le Mout¹², Dominique Bouchard¹³, Jean-Pierre Aubert¹⁴, for the GREP study group and for the MG-PREVAPROCT study group

Correction to: BMC Fam Pract

<https://doi.org/10.1186/s12875-017-0649-6>

Following publication of the original article [1], the authors reported an error to one of the ‘study groups’ in the authorship section. The collaborators of the study groups were not listed properly during typesetting. The members of the study groups are included here. The publisher would like to apologize for this error.

Author details

¹General Practice Department, University Paris Diderot, F-75018 Paris, France.

²AP-HP and GREP, Gastroenterology and Proctology Unit, Bichat University hospital, Paris, France. ³INSERM, IAME, UMR 1137, F-75018 Paris, France.

⁴University Paris Diderot, IAME, UMR 1137, Sorbonne Paris Cité, F-75018 Paris, France. ⁵AP-HP, Bichat Hospital, Biostatistics Unit, F-75018 Paris, France. ⁶Tivoli Ducos Clinic, Bordeaux, France. ⁷Proctology Unit, Private hospital, Saint Grégoire, France. ⁸Montigny les Cormeilles, France. ⁹Bordeaux, France.

¹⁰Cadaujac, France. ¹¹Rennes, France. ¹²Blomet Clinic, Paris, France.

¹³Proctology Unit, Bagatelle Hospital, Talence, France. ¹⁴Sorbonne Paris Cité, General practice department, University Paris Diderot, F-75018 Paris, France; REMES, F-75018 Paris, France.

Published online: 17 January 2019

Reference

1. Tournu G, Abramowitz L, Couffignal C, Juguet F, Sénéjoux A, Berger S, et al. Prevalence of anal symptoms in general practice: a prospective study. *BMC Fam Pract*. 2017;18:78. <https://doi.org/10.1186/s12875-017-0649-6>.

* Correspondence: gtournu@gmail.com

¹General Practice Department, University Paris Diderot, F-75018 Paris, France

